Report from the BIPM electricity laboratories 2021-2023

CCEM meeting 8-9 March 2023

Bureau International des Poids et Mesures



On-site comparisons of quantum standards, using transportable BIPM quantum standards

BIPM.EM-K10.a/b	JVS on-site comparison: 1.018 V/1V and 10 V
BIPM.EM-K12	QHR on-site comparison: $R_{\rm H}(2)/100 \Omega$, 100 $\Omega/1 \Omega$, 10 k $\Omega/100 \Omega$

Bilateral comparisons using conventional BIPM transfer standards

BIPM.EM-K11.a/b	voltage: 1.018 V and 10 V
BIPM.EM-K13.a/b	resistance: 1 Ω and 10 k Ω
BIPM.EM-K14.a/b	capacitance: 10 pF and 100 pF at 1592 Hz and/or 1000 Hz

- Direct comparison of the NMI's and the BIPM's JVS in the laboratory of the NMI (BIPM staff on-site)
- Typical duration about 1 week





- On average 2 comparisons / year
- Typical comparison uncertainty at 10 V: 5 x 10⁻¹⁰ (5 nV)
- Collaborative work leads to improvements of the participant's JVS in most of the comparisons

10 V Josephson voltage, degrees of equivalence in nV

- Direct comparison of the NMI's and the BIPM's JVS in the laboratory of the NMI (BIPM staff on-site)
- Typical duration about 1 week



10 V Josephson voltage, degrees of equivalence in nV



- On average 2 comparisons / year
- Typical comparison uncertainty at 10 V: 5 x 10⁻¹⁰ (5 nV)
- Collaborative work leads to improvements of the participant's JVS in most of the comparisons

- Direct comparison of the NMI's and the BIPM's JVS in the laboratory of the NMI (BIPM staff on-site)
- Typical duration about 1 week



10 V Josephson voltage, degrees of equivalence in nV



- On average 2 comparisons / year
- Typical comparison uncertainty at 10 V: 5 x 10⁻¹⁰ (5 nV)
- Collaborative work leads to improvements of the participant's JVS in most of the comparisons

- Direct comparison of the NMI's and the BIPM's JVS in the laboratory of the NMI (BIPM staff on-site)
- Typical duration about 1 week



10 V Josephson voltage, degrees of equivalence in nV



No on-site comparisons 2020, 2021, 2022

Planned for 2023: DEFNAT or BIM



BIPM.EM-K12: On-site quantum Hall resistance key comparison

- To verify coherence of primary resistance standards by comparing quantum Hall effect based standards of the NMIs with that of the BIPM
- Typically 2 comparisons per year



Bureau International des Poids et esures





On-site quantum Hall resistance key comparisons (BIPM.EM-K12)



2013:	РТВ
2015:	VSL
2017:	CMI, METAS
2018:	NRC, NMIJ
2019:	A*STAR, NIM, KRISS



No comparisons 2020-2021

Planned for 2022: LNE, INMETRO Both postponed, requested by participants

Planned for 2023: LNE, INRIM, to be confirmed

Questionnaire on interest in on-site comparisons (dc/ac JVS, QHR) will be sent soon





On-site quantum Hall resistance key comparisons (BIPM.EM-K12)



Bilateral comparisons using transfer standards



Calibrations



Several requests postponed to 2023 due to air conditioning failure during several months

Future on-site comparison using PJVSs at ac – Possible measurement scheme using differential sampling



Future on-site comparison using PJVSs at ac – Possible measurement scheme using differential sampling



The new comparison protocol: Option III



The new comparison protocol: Option IV



PTB-BIPM Pilot Studies December 2021 and August 2022



BIPM laboratory Dec. 2021





PTB laboratory Aug. 2022



Bureau International des Poids et Mesures





Sc

KR

Korea Research Institute of Standards and Science



Pilot studies extended into 2023 (PTB and KRISS)

Optimized sampling parameters for option III

Ongoing investigations on the influence of the full sampling voltmeter at the level of parts in 10⁷ and lower

Influence of different samplers and software for option IV



Bureau International des Poids et Mesures

New QHR based on graphene

Replacing the GaAs QHR standard to simplify QHR implementation during onsite comparison and reduce their cost

- test of graphene QHR devices from different sources

- \rightarrow 2020: test of commercial devices from Graphene Waves (NIST technology)
- \rightarrow 2021: test of PTB device designed within the framework of the GIQS EURAMET project
- ightarrow No test in 2022 due to LHe shortage but test of devices from other sources still considered



Comparison between graphene and GaAs QHRs from PTB at BIPM

PTB devices Graphene (left), GaAs (right)





Quantization of PTB graphene QHR at 4.2 K

Study of 1 Ω standards for BIPM.EM-K12 comparison

Characterizing 1 Ω standard prototypes to find one with ideally no low frequency dependence

- Analysis of precision measurements of 1 Ω standards during BIPM.EM-K12 comparisons is often an issue due to frequency dependence of these standards
- Characterization of new resistor prototypes developed by the NMIJ and Alpha Electronics (different resistance pattern, internal definition point, corrected resistance value, terminals)
- Study carried out in collaboration NMIJ, PTB, BIPM
- First round of measurements completed early 2022 ⇒ encouraging results but some unexplained discrepancies below 25 mHz for some measurement configurations

 \Rightarrow A second measurement round, intended to find an explanation to those discrepant results, started late 2022 and is still in progress

Bureau International des Poids et



Prototypes of Alpha/NMIJ resistance standards



BIPM Calculable Cross-Capacitor



Alignment of the electrode system using capacitive probes

- Improvement of the characterization of a capacitive probe to measure the angular position of the electrodes.
- This allowed the positioning of the electrode's axis on the vertices of a square within ± 0.3 mrad, and reduction of the skew angle to less than 1.4 mrad (1 nF/F skew contribution).



CIM 2023



BIPM Calculable Cross-Capacitor



Alignment of the electrode system using capacitive probes

- Improvement of the characterization of a capacitive probe to measure the angular position of the electrodes.
- This allowed the positioning of the electrode's axis on the vertices of a square within ± 0.3 mrad, and reduction of the skew angle to less than 1.4 mrad (1 nF/F skew contribution).

Lyon, FRANCE





Last measurement:



^{*}Diagram not at scale.

- Diagonal distances within $\pm 1 \mu m$ in average.
- Angles adjusted at 90° within \pm 0.3 mrad.

Still to do for alignment:

- Measure lateral gaps (need to be constant along length of the electrodes)
- Very fine adjustment to equalize diagonal distances within ± 200 nm.
- Check Skew.



MARCH 7 - 10

Lyon, FRANCE

Fabrication of a new Cryogenic Current Comparator

A new multi-ratio superconducting CCC and its associated cryo-probe have been designed and fabricated. Assembling is currently in progress.

This new CCC is intended to replace one of the two cryogenic current comparators of the BIPM which has recently been found defective.

The design of a new digital double current source intended to be used with this new CCC is also in progress.



Shieldings are not represented

New Low Frequency Current Comparator of ratio 129:1



www.bipm.org

Agreement of few $n\Omega/\Omega$ before optimization of guarding scheme

New Low Frequency Current Comparator of ratio 129:1



guarding scheme

The BIPM Kibble balance





- magnetic flux density 0.47 T
- bifilar coil (each 26 layers & 1100 turns)
- current 10 mA for a 1 kg mass
- standard resistor 100 Ω
- voltage drop 1 V
- velocity 1 mm/s
- induced voltage 0.5 V



Measurement scheme



- Constant Joule heating of the coil (60 mW) -> better temperature stability
- Optimization of the measurement scheme

Investigation & improvement of electrical circuit

- all devices separated in three groups and electrically grounded in a star scheme to avoid ground loops
- use of 2 PJVSs (1 V & 2 V) and 2 bias sources, different grounding configurations
- three main issues identified and resolved:
 - gold-plated forks manually connected to the PJVS system (replaced with plug-in connector)
 - nanovoltmeter inside PJVS system introduced bias (now disconnected)
 - switchbox introduced bias (replaced with new one)
- measurement uncertainty reduction (30 ppb \rightarrow 14 ppb)



Use of a cryo-cooler with pulse-tube refrigerator for PJVS

- use of cold water of the air conditioning of the building for cooling down the compressor
- new PJVS array
 - 1 V NIST array out of service (old generation)
 - o use of a new 2 V PJVS array, kindly supplied by the NIST
 - fabrication of a shortened holder (impossible to accommodate present one due to low ceiling in KB room)





CCM.M-K8.2021: second key comparison of kilogram realizations



Differences between mass values attributed to a 1 kg weight

- Pilot: BIPM
- 9 participants: 6 Kibble balances, 1 joule balance, 2 XRCD
- Mass of travelling standards of each participant: measured in vacuum
- Comparison at BIPM during Feb./ Mar. 2022
- Final Report published in Jan. 2023
- KCRV calculated as the weighted mean of the participants' results with $u_R(x_R) = 7.4 \ \mu g$

www.bipm.org

Publications

F. Bielsa, H. Fang, A. Kiss, M. Stock, A new Interferometric System for the BIPM Kibble Balance, *IEEE Trans. Instrum. Meas.*, 2021, 70, 7002706

F. Bielsa, H. Fang, A. Kiss, M. Stock, Report on the BIPM Kibble balance, CPEM 2022 Final Digest, December 2022

F. Bielsa, H. Fang, A. Kiss, M. Stock, A new beam mechanism for the BIPM Kibble balance, CPEM 2022 Final Digest, December 2022

P. Gournay, J.A. Moreno, Status of the BIPM Calculable Capacitor Project, CPEM 2022 Final Digest, December 2022

S. Solve, **BIPM on-site Josephson comparison programme: from DC to AC voltages**, CPEM 2022 Final Digest, December 2022

M.-S. Kim, H. Cho, S. Solve, **Differential sampling of AC waveforms based on a programmable Josephson voltage standard** using a high-precision sampler, 2022 *Metrologia* **59** 01500

B. Rolland, P. Gournay, Fabrication and characterization of a guarded-type low frequency current comparator for resistance ratio measurements, CIM 2023

A. Moreno, P. Gournay, Progress in the alignment of the main electrode bars of the BIPM calculable cross-capacitor, CIM 2023

Thank you for your attention !

