

Publications of the NIS, (IRRML) concerning radiation dosimetry

1. Hassan G. M. M. A. Sharaf and Omar S. Desouky. (2004): A new ESR dosimeter based on Bioglass material. *Radiat. Measur.* 38, 311 -315.
2. M. A. Sharaf and Hassan G. M. (2004): ESR Dosimetric properties of modern coral reef. *Nucl. Inst. and Meth. In Phys. B* 217, 603-610.
3. M. A. Sharaf and Hassan G. M. (2004): Radiation induced radical in barium sulphate for ESR dosimetry: A preliminary study. *Nucl. Inst. and Meth. In Phys. B* 225, 521-527.
4. M. Abo-Elmagd, F. Khalil, Manal M. Daif, W. Khalil, H. M. Eissa (2004) Construction and Evaluation of Mice Exposure Radon Chamber with Quality Assurance of Radon Dose Measurements, *Egyptian Journal of Biophysics*, Vol. 10, NO. 1.
5. Use of optical properties of LiF in radiation protection dosimetry. *Radiation Effects & Defects in solids.* 159, 439-445, (2004).
6. Determination of CR-39 detection efficiency for fast neutron registration and the absolute neutron dosimetry. *Nuclear Instruments and Methods in Physics Research B.* 215, 443- 448, (2004).
7. Fast neutron spectroscopy using CR-39 track detectors. *Nuclear Instruments and Methods in Physics Research B.* 226, 345- 350, (2004).
8. Hassan G. M. and M. A. Sharaf. (2005): ESR dosimetric properties of some biomineral materials. *Appl. Radiat. Isot.* 62, 375-381.
9. A. El-Khodary, M. Abdelaziz and Hassan G. M (2005): Crystal structure and physical properties of PVDF films filled with $\text{CuCl}_2\text{-MnCl}_2$ mixed fillers. *International journal of Polymeric Material*, 54, no. 7, pp. 633-650.
10. M. Abo el Magd, Fawzia Ahmed, Manal daifa, H. M. Eissa (2004) Construction and evaluation of mice exposure radon chambers with quality assurance of radon dose measurements. *Egyption Journal of Biophysics*, vol. 10, no. 1.
11. M. F. Eissa*, R. M. Mostafa, M. Mansy, F. A. Khalil**, H. M. Eissa and F. Shahin (2005) Measurements of radon concentration in Wadi Snnur cave in Beni Suef, Egypt. In *Isotope and Radiation Research* vol. 37, no. 7. Theoretical calculation of SSNTD response for radon

12. M.A. Sharaf, M. Abo-Elmagd (2005) Thermal Effects on CR-39 detector Response and Some Membranes Permeability Used in Radon Measurements. *Radiation measurements*, Vol. 39/4, pp (441-445).
13. H.M. Diab, M. Abo-Elmgd (2005) Reproducibility study of (TLD-100) dosimeters using an automated and manual TLD reader for radiotherapy applications. *Nuclear Instruments and Methods in Physics Research B* 240, 908–912.
14. Dosimetry study Comparing NCS report-2 versus IAEA TRS-398 for high energy photon beams Protocol. , journal of nuclear science and application, 2 (2005).
15. Hassan G. M. and M. A. Sharaf. (2006): Uncertainty of low gamma-dose measurement using ESR biomineral material. *Radiat. Measur.* 41/1, 48-54.
16. Dosimetry study Comparing NCS report-2 versus IAEA TRS-398 for high energy photon beams Protocol. ,journal of nuclear science and application,2 (2005).
17. Hassan G. M. (2006): Electron and gamma dose assessment of eggshell using ESR techniques. *Egyptian Journal of Biophysics*, 12/ 1, 1-13.
18. Abdel-Monem, A. A., Hassan G. M. Eissa H. M., El-Sankary M. M., Abdel-Razek Y. A., Rasheed N. M. and El-Morsy M. (2006): ESR studies and dating of natural carbonates (Tufas) from Egypt. *Egyptian Journal of Biophysics*, 12/ 1, 59-76.
19. Mansy, M., Sharaf, M.A., Eissa, H.M., El-Kamees, S.U., Abo-Elmagd, M., (2006) Measurements and optimum diffusion chambers dimensions Radiation Measurements, Vol. 41, 222 – 228.
20. Abo-Elmagd, M., Mansy, M., Eissa, H.M., El-Fiki, M., A., (2006) Major parameters affecting the calculation of equilibrium factor using SSNTD-measured track densities Radiation Measurements, Vol. 41, No. 2, 235 – 240.
21. M. Mansy, M. A. Sharaf, H. M. Eissa, S. U. El-Kamees, M. Abo-Elmagd (2006) Theoretical Calculation of SSNTD Response for Radon Measurements and Optimum Diffusion Chambers Dimensions. *Radiation Measurements* 41, 222–228
22. M. Abo-Elmagd□, M. Mansy, H.M. Eissa, M.A. El-Fiki (2006) Major Parameters Affect The Calculation of Equilibrium Factor By SSNTD. *Radiation Measurements* 41, 235–24.
23. Metwally, M. Abo-Elmagd, E. Salama (2006) Development of an Interactive Computational System to Simulate Radon Concentration inside Ancient Egyptian

Tombs. *VIII Radiation Physics and Protection Conference*, Bani Sueif Univ., Egypt, 12-15 November 2006.

24. M. Abo-Elmagd (2006) The Effect of Diffusion Chamber Dimension on the Measurements of Some Radon Related Parameters. 2006. *Isotopes and Radiation Research*, 38, 931-938
25. M. Metwally, M. Abo-Elmagd, E. Salama (2006) Modeling the Dependency of Radon Concentration Levels inside Ancient Egyptian Tombs on the Ambient Temperature Variations. *VIII Radiation Physics and Protection Conference*, Bani Sueif Univ., Egypt, 12-15 November 2006.
26. M. Abo-Elmagd, S.M. Metwally, S.A. Elmongy, E. Salama, S.A. El-Fiki (2006) External and Internal Exposure to Natural Radiation inside Ancient Egyptian Tombs in Saqqara. *Radiation Measurements* 41, 197–200.
27. *Thermal neutron dose determination with source geometry included Egyptian journal of Biophysics*, 12,2, 131-142, (2006).
28. Abo-Elmagd, M., Metwally, S.M., El-Fiki, S.A., Eissa, H.M., Salama, E., (2007) Passive and Active Measurements of Radon Related Parameters Inside Ancient Egyptian Tombs in Luxor *Radiation Measurements*, Vol. 42, 116 – 120.
29. Abo-Elmagd, M., Manal, M. Daif, Eissa, H.M., (2007) Cytogenetic effects of radon inhalation. Abo-Elmagd, M., Manal, M. Daif, Eissa, H.M., Under publication in *Radiation Measurements*.
30. Mansy, M., Ahmad, F., Eissa, H.M., El-Kamees, S.U., Abo-Elmagd, M., (2007) Evaluation of Pitchblende as a Calibrated Radon Source and Determination of the Uncertainty and its Specific Parameters Under publication.
31. F. Ahmed, A. Sroor*, N. El Masry, A. Salman**, M. El-Fiki and H. M. Eissa (2007) Radioactivity Measurement at Wadi Baligh Area, Eastern Desert of Egypt Using Different Techniques. *Egyptian Journal of Physics*.
32. M. Mansy, F. Ahmed, H. M. Eissa, S. U. El-Kamees*, M. Abo-Elmagd (2007) Evaluation of Pitchblende to Use as a Calibrated Radon Source and Determination of the Uncertainty in its Specific Parameters. *Egyptian Journal of Physics*.

33. M. Abo-Elmagd, S.M. Metwally, S.A. El-Fiki, H.M. Eissa, E. Salama (2007) Passive and Active Measurements of Radon Related Parameters Inside Ancient Egyptian Tombs in Luxor, 2007. *Radiation Measurements*, 42, 116-120.
34. M. Mansy, F. Ahmad, H. M. Eissa, S. U. El-Kamees*, M. Abo-Elmagd (2007) Evaluation of Pitchblende to use as a Calibrated Radon Source, 2007, *Egyptian Journal of physics*, 38.
35. M. Abo-Elmgd and H.M. Diab (2007) Uncertainty in Activity Measurement of Radon Source Used in CR-39 Calibration, *Egyptian Journal of Biophysics*, 13 (1), 15-23,2007.
36. *Internal Dosimetry of Radioactive iodine used in nuclear medicine by simple mathematical method. Egyptian journal of Biophysics, 13,1,61-70,(2007).*
37. Thermoluminescence dosimetric properties of undoped and Ag-doped $\text{Li}_2\text{O-B}_2\text{O}_3$ glasses,the 8 th radiation physics and protection conference,(2007).
38. A dosimetry study Comparing NCS report-2, IAEA TRS-277,AAPM TG-51 and IAEA TRS-398 for high energy photon beams Second Arab conference for Biophysics and mathematics. (21-23) August 2007.
39. Abdel-Monem, A. A., Abdel-Razek, Y. A., Hassan G. M., Eissa H.M., Rasheed, N. M. and El-Morsy M. (2008): ESR Studies and Dating of Egyptian Gypsum at Ras Mala'ab, Sinai, Egypt. *Radiation Effects and Defects* (Submitted).
40. Abdel-Monem, A. A., Abdel-Razek, Y. A., Hassan G. M., Eissa H.M., Rasheed, N. M. and El-Morsy M. (2008): ESR Signals in Natural Barites: An Application to ESR Dosimetry and Dating. *Radiation Effects and Defects* (Submitted).

41. DESOUKY, O. S., Hassan G. M. and NABILA S. SELIM (2008): Study on oxidative stress of irradiated and β -thalassemia hemoglobin. Role of α -Lipoic acid. *Rom. J. Biophys.* 18(3):245-254.
42. Ahmed A. El Sayed, Hoda M. Eissa, Ebtisam H. Hasan and Yasser A. Abdelaziz; (2008) Towards a CIPM MRA Statement of Equivalence NIS Experience NCSL International Workshop and Symposium.
43. S. A. ABDELKAWI, M. ABO-ELMAGD and H. A. SOLIMAN (2008) Development of cataract and corneal opacity in mice due to radon exposure, 2008. *Radiation Effects and Defects*, V163 (7), 661-671.
44. M. Abo-Elmagd, Manal M. Daif, H. M. Eissa (2008) Cytogenetic effects of radon inhalation, *Radiation Measurements* 43, 1265–1269. 2008.
45. M. Abo-Elmagd, H. A. Soliman and Kh. A. Salman (2008) Study of Different Surveymeters Response as a Function of Gamma-Energy and Its Incident Angle. (Accepted in *Isotopes and Radiation Research*).
46. Abdel-Monem, A. A., Abdel-Razek, Y. A., Hassan G. M., Eissa H.M., Rasheed, N. M. and El-Morsy M. (2009): ESR spectra of some silicate minerals: A search for new dosimetric materials. *Radiat. Measur.*(accepted for publication).
47. Hassan G. M., Aboelezz E., El-Khodary A., and Eissa H.M., (2009): Assessment of intermediate radiation dose and its uncertainty in cow and human tooth by using ESR. *Isotopes and Radiation Research*. (accepted for publication).
48. Rabie N., Hassan G. M., Elserisy A., and Ezzat M. (2009): Study the reliability of TLD cards for neutron dosimetry. *Isotopes and Radiation Research*. (Submitted for publication).
49. Serag A., Hassan G. M., Attiya A. I. (2009): factors affecting detection of irradiation bone by using electron spin resonance. *Isotopes and Radiation Research*. (accepted for publication).
50. A.A. El Sayed and H.M. Eissa (2009) Towards African Arab Metrology Organization (AFARMET); Target and Road Map; Under publication in CAFMET FORUM, Benin.