

# Workshop “Accurate Monitoring of Surface Ozone”

05 – 09 October 2020

## AQUILA and the EU National Reference Laboratories

**Annette Borowiak**

*European Commission*

*Joint Research Centre*

*Directorate for Energy, Transport & Climate*





# Structure of presentation

JRC and ERLAP

Inter-laboratory Comparisons at EU level

The AQUILA Network

Possible implications & outlook



## JRC mission

As the science and knowledge service of the Commission our mission is to support EU policies with independent evidence throughout the whole policy cycle.

Headquarters in **Brussels**  
and research facilities  
in **5 Member States:**

- *Belgium (Geel)*
- *Germany (Karlsruhe)*
- *Italy (Ispra)*
- *The Netherlands (Petten)*
- *Spain (Seville)*



# JRC's European Reference Laboratory for Air Pollution

- Gives scientific and technical support the correct implementation and the development of European air policy.
- Research activities related to new measurement and assessment techniques.
- Harmonisation activities – quality assurance programmes, proficiency testing for EU National Air Quality Reference Laboratories.
- Accreditation ISO/IEC 17025 and 17043  
& participating in relevant BIPM/GAWG key-comparisons




## JRC inter-laboratory comparison facility: dynamic dilution of air pollutant gas mixtures at ambient air levels and EU limit value concentrations





Generation of gaseous air pollutants: O<sub>3</sub>, NO/NO<sub>2</sub>, CO, SO<sub>2</sub>, BTEX, other VOC

# Intercomparison gaseous compounds



Example (2019): Bias of participant's O<sub>3</sub> measurement results



# Inter-comparison PM2.5/PM10 at JRC Ispra



Possibility for subsequent PAH and metal analysis

# AQUILA: background



## Article 3 (2008/50/EC): Responsibilities

For the implementation of this Directive, the Member States shall designate at the appropriate levels the competent authorities and bodies responsible for:

- Assessment of ambient air quality,
  - Approval of measurement systems (methods, equipment, networks, laboratories),
  - Ensuring accuracy of measurements,
  - Analysis of assessment methods,
  - Coordination on their territory of Community-wide quality assurance programmes organized by the Commission,
  - Cooperation with other MS and the EC.
- & further details in annexes of Directives**

Tasks of National Reference Laboratories: *Verify and support the correct implementation of AQDs*

- Implementing a quality system in the laboratory.
- Approving measurement systems (instruments, laboratories, networks)
- Ensuring the traceability of the measurements at national level,
- Participating in EC QA/QC programmes
- Exchanging information through the organisation of training sessions, workshops, conferences and guidance documents

**join forces in AQUILA Network**



# AQUILA Network creation in 2001



Network Members: 37 National Reference Laboratories from the 27 Member States & EFTA

Observers & Associates: EEA, WHO, Candidate Countries, ....

Secretariat and chair: JRC

Steering Group: JRC, DG ENV, NRL representatives.

Restricted CIRCABC site for members

<https://ec.europa.eu/jrc/en/aquila>



## ***Examples of AQUILA support to implementation of air quality policy:***

- Co-organisation of conferences and workshops (e.g. equivalence, sensor performance, ...)
- Organisation of training (e.g. measurement uncertainty)
- Contribution to reference material development (metals, PAH, ions)
- Production of documents/guidelines on topics of interest (guidance on equivalence, uncertainty Average Exposure Indicator, ...)
- Input to review of Air Policy (2011 – 2013)
- Strong link with CEN standardisation

# JRC - AQUILA harmonisation activities



- Regular inter-comparison exercises for NO/NO<sub>2</sub>, O<sub>3</sub>, SO<sub>2</sub>, CO.
- VOC round robin tests (gas cylinder).
- BTEX inter-comparisons.
- OC/EC inter-comparison (in collaboration with ACTRIS).
- Metal inter-comparison (Pb, Cd, As, Ni).
- PAH intercomparison.
- PM10 & PM2.5 QA/QC programme.



*Assumption: a newly established ozone cross section would result in a systematic increase of about 2 %<sup>(\*)</sup> in ozone concentrations.*



*Implications:* reduced compliance

	Increase number of exceedances	Increase number of exceeding stations
Alert threshold (240 µg/m <sup>3</sup> )	34 %	28 %
Information threshold (180 µg/m <sup>3</sup> )	33 %	17 %
Target value (8 h 120 µg/m <sup>3</sup> ):	17 %	25 %

*Source: Frank De Leeuw (2018), ozone data 2003 - 2012*

*(\*) now: 1.2 %*

# Target value health protection (8 h 120 $\mu\text{g}/\text{m}^3$ )




Source: Frank De Leeuw (2018)

*According to EEA-ETC assessment period 2000 to 2017:*

- 10 % decrease in ozone peaks.
- No clear trend for annual mean.
- Precursors NMVOC and NO<sub>x</sub> emissions decreased by 47 % and 53 %.

*New evidence for health effects  
(ongoing update WHO Air Quality Guidelines):*

- Reinforced evidence for health impacts of short-term exposure to ozone.
- Evidence as well for long-term exposure health effects.



**Need for accurate monitoring of ozone**