

Session II of the 115th meeting of the CIPM

Decisions

Decision CIPM/115-12 (2026)

The CIPM accepted the minutes of Session I of the 115th meeting of the CIPM as a true record, with the correction that the CIPM Task Group on Quantum Technologies for Metrology (CIPM-TG-Q4M) is not a Sectoral Task Group (STG).

Decision CIPM/115-13 (2026)

The CIPM confirmed its approval of the audited financial statements of the BIPM and of the BIPM Pension and Provident Fund, which were reviewed by the CIPM Sub Committee on Finance in May 2026.

The CIPM granted the BIPM Director quietus for the 2025 exercise.

Decision CIPM/115-14 (2026)

The CIPM agreed to change the wording in the final bullet point of the “further recommends” clause of Draft Resolution D *On the definition of an international lunar reference time scale and its traceability to UTC*. The changes (shown in bold) are: “the BIPM and the National Metrology Institutes (NMIs) work in collaboration with space agencies and international organizations to support the **realizations of the lunar reference time scale**, and ...”

The change reflects the aim of the draft resolution to state that there must be a unique lunar reference time scale, even if there may be several realizations.

Decision CIPM/115-15 (2026)

The CIPM decided that all voting at the 28th meeting of the CGPM will be in-person and there will be no option for on-line voting. It will remain possible for Member States to participate on-line in discussions. The Director was asked to make the necessary changes to the Special Procedure, in consultation with the CIPM bureau.

Decision CIPM/115-16 (2026)

The CIPM accepted the following changes to the membership and observership of the Consultative Committees:

CCQM

- INM (Colombia) as a member

CCT

- SASO-NMCC (Saudi Arabia) as an observer

Decision CIPM/115-17 (2026)

The CIPM took the following decision by correspondence on 21 July 2026:

The CIPM decided that the budget for expenditure in 2026 agreed by the CIPM in March 2026 (Decision CIPM/115-3) should be updated as presented to the CIPM by the BIPM Director.