

Key and supplementary comparisons (and pilot studies) - registration and progress form

Comparison conducted by EURAMET <input type="checkbox"/> in T <input type="checkbox"/>		Date: 05-16-2017
1. Subfield: Thermometry	RMO internal identifier	
2. KCDB identifier: EURAMET.T-K7.4 <small>(for KCs and SCs) (to be attributed by the BIPM)</small>	1357	
3. Type of comparison: Key <input checked="" type="checkbox"/> Supplementary <input type="checkbox"/> Pilot study <input type="checkbox"/>	4. Short description: Inter-Laboratory comparison of the Realization of Triple Point of Water Temperature	
5. Measurand and nominal value(s): Temperature / 273.16 K		Special characters for copying <small>(if required)</small> α β γ Δ δ ε ζ η θ ι κ λ μ
6. Parameter(s): Resistance / Temperature		
7. Transfer device(s)/sample(s): Triple Point of Water Cell		
8. Pilot/Coordinating laboratory(ies) <i>(acronyms and countries)</i> : TUBITAK UME (Turkey)		
9. Participating institutes <i>(acronyms and countries)</i> : DPM (Albania), IMBIH (Bosnia and Herzegovina), BOM (FYR Macedonia), MBM (Montenegro), DMDM (Serbia), SASO NMCC (Saudi Arabia) , EMI (United Arab Emirates), JNMI (Jordan)		
10. Progress: <i>(please note date and tick appropriate box to indicate current status)</i>		
Date	Status	Pilot
	Planned	<input type="checkbox"/>
	Protocol complete/approved	<input type="checkbox"/>
	In progress	<input type="checkbox"/>
	Measurement completed	<input type="checkbox"/>
	Report in progress	<input type="checkbox"/>
		Draft A <input type="checkbox"/>
		Draft B <input type="checkbox"/>
	Report submitted to	<input type="checkbox"/>
	Results approved	<input type="checkbox"/>
	Approved for equivalence	<input type="checkbox"/>
	Abandoned	<input type="checkbox"/>
		<input type="checkbox"/>
Comments: The protocol of the comparison was approved by CCT. The measurements in the first loop were completed.		Publication reference:
11. Measurement start date: 01-15-2015		12. (Expected) measurement completion date: 12-27-2017
13. Contact person's name: Murat Kalemci		
Address:		Tel.: +90 262 679 5000 ext : 3400
		Fax: +90 262 679 5001
		e-mail: murat.kalemci@tubitak.gov.tr
		Web:

Completed copy to be forwarded to a) CCXX Executive Secretary;

b) relevant CC Key Comparison WG Chairman;

c) Regional coordinator as appropriate;

d) KCDB Coordinator (except Pilot studies): BIPM.KCDB@bipm.org