

## Calibration Report No. 2022-2019/UFE

Laboratory of the National Time and Frequency Standard  
(Designated Institute of the Czech Metrology Institute)

**Instrument:** Name: **GNSS Time Transfer Receiver**  
Type: GTR 51  
SN: 1909009

**Antenna:** Type: Novatel GNSS-850  
SN: NMLK19310002R

**Antenna Cable:** Type: Belden 50Ω LOW LOSS H155 PVC  
Length: 30 m

**Reference:** Signal: 1 PPS and 10 MHz signals of UTC(TP) generated from  
the Cesium clock 5071A SN 1227  
Receiver: GPS Time Transfer Receiver GTR 55, SN 1711887,  
calibrated by BIPM, Cal. ID 1102-2017

**Measurement Date:** 22 October 2019, 00:00:00–23:59:59 UTC

### Measurement Results:

Internal Receiver Delays:

GPS L1 C/A: (25.8 ± 1.0) ns  
GPS L1P: (25.7 ± 1.0) ns  
GPS L2P: (19.3 ± 1.0) ns

**Measurement performed by:** Alexander Kuna, Ph.D.

Attachment: Graphs with measured values.

Prague, 23 October 2019

INSTITUTE OF PHOTONICS AND ELECTRONICS  
ASCR, v.v.i.  
(1)  
Chaberská 57, 182 51 Praha 8, Czech Republic



.....  
**Alexander Kuna, Ph.D.**  
Head of the LNTFS