



Publications

1. **Data and analysis for the CODATA 2017 special fundamental constants adjustment**
Metrologia, 2018, **55**(1), 125-146
Mohr P.J., Newell D.B., Taylor B.N., Tiesinga E.
2. **The revision of the SI – the result of three decades of progress in metrology**
Metrologia, 2019, **56**(2), 022001
Stock M., Davis R., de Mirandés E., Milton M.
3. **Note on the impact of the redefinition of the kilogram on BIPM mass calibration uncertainties**
https://www.bipm.org/utils/common/pdf/CC/CCM/BIPM_Note-on-kilogram-redefinition.pdf
4. **CCM detailed note on the dissemination process after the redefinition of the kilogram**
https://www.bipm.org/utils/common/pdf/CC/CCM/CCM_Note-on-dissemination-after-redefinition.pdf
5. **Capacitance metrology at the BIPM to support National Metrology Institutes**
Proc. 19th International Congress of Metrology, (2019), 14001
Moreno J.A., Gournay P.
6. **Bilateral comparison of 10 pF and 100 pF standards (ongoing BIPM key comparisons BIPM.EM-K14.a and 14.b) between the NIMT (Thailand) and the BIPM**
Metrologia, 2019, **56**, Tech. Suppl., 01005
Gournay P., Homklintian M.
7. **Bilateral comparison of 10 pF and 100 pF standards (ongoing BIPM key comparisons BIPM.EM-K14.a and 14.b) between the SMD (Belgium) and the BIPM**
Metrologia, 2019, **56**, Tech. Suppl., 01012
Moreno J.A., Gournay P., Vlad D.
8. **Bilateral comparison of 1 Ω and 10 k Ω standards (ongoing BIPM key comparisons BIPM.EM-K13.a and 13.b) between the NIM (The People's Republic of China) and the BIPM**
Metrologia, 2019, **56**, Tech. Suppl., 01011
Rolland B., Stock M., Yunfeng L., Jianting Z., Qing H.
9. **The analysis of long-term instability of UTC: a case study**
Proc. IEEE IFCS and EFTF Joint meeting. Orlando, Florida, April 2019
Panfilo G., Harmegnies A., Tavella P., Abgrall M., Rovera D., Bauch A.
10. **Tests of Galileo and BeiDou Links for UTC**
Proc. IEEE IFCS and EFTF Joint Meeting. Orlando, Florida, April 2019
Petit G., Harmegnies A.
11. **Latest Developments on IPPP Time and Frequency Transfer**
Proc. IEEE IFCS and EFTF Joint Meeting. Orlando, Florida, April 2019
Leute J., Petit G.
12. **Advanced satellite-based frequency transfer at the 10⁻¹⁶ level**
IEEE Trans. UFFC, 2018, 973–978
Fujieda M., Yang S.-H., Gotoh T., Hwang S.-W., Petit G. et al.
13. **A new test of gravitational redshift using Galileo satellites: The GREAT experiment**
Comptes Rendus Physique, 2019, **20**(3), 176-182
Delva P., Meynadier F. et al.
14. **New test of Lorentz Invariance Using the Microscope Space Mission**
Phys. Rev. Lett., 2019, 123 231102
Pihan-le Bars H., Meynadier F. et al.
15. **Gravitational redshift test with the future ACES mission**
Class. Quantum Grav., 2019, **36**(24), 245004
Savalle E., Meynadier F. et al.
16. **The international reference system for pure β -particle emitting radionuclides: an investigation of the reproducibility of the results**
Metrologia, 2020, **57**(3), 035009
Coulon R.M., Broda R., Cassette P., Courte S., Jerome S., Judge S., Kossert K., Liu H., Michotte C., Nonis M.
17. **The first official measurement of ¹¹C in the SIRTI**
Appl. Radiat. Isotop., 2019, 154, 108834
Galea R., Michotte C., Nonis M., Moore K., El Gamal I., Keightley J., Fenwick A.

- 18. Recommendation of a consensus value of the ozone absorption cross-section at 253.65 nm based on a literature review**
Metrologia, 2019, **56**(3), 034001
Hodges J.T., Viallon J., Brewer P.J., Drouin B.J., Gorshelev V., Janssen C., Lee S., Possolo A., et al.
- 19. CCQM-K137 Final Report** <https://www.bipm.org/kcdb/comparison?id=1511>
- 20. Stability of gaseous volatile organic compounds contained in gas cylinders with different internal wall treatments**
Elem. Sci. Anth., 2019, **7**(1), 28
Rhoderick G.C., Cecelski C.E., Miller W.R., Worton D.R., Moreno S., Brewer P.J., Viallon J., et al.
- 21. Mass fraction assignment of Amino Acids in acidic aqueous solution (CCQM-K78.a)**
Metrologia, 2019, **56**, Tech. Suppl., 08010
Westwood S., Josephs R., Choteau T., Daireaux A., Wielgosz R., Melanson J., Thibeault M.-P., et al.
- 22. qNMR Internal Standard Reference Data (ISRD) Dimethyl Terephthalate [ISRD-04]**
Rapport BIPM-2019/01, 24 pp
Westwood S., Stoppacher N., Martos G., Garrido B., Huang T., Saito T., Ün I., Yamazaki T., Zhang W.
- 23. qNMR Internal Standard Reference Data (ISRD) 3,5-Bis(trifluoromethyl)benzoic Acid [ISRD-05]**
Rapport BIPM-2019/02, 23 pp
Westwood S., Stoppacher N., Martos G., Garrido B., Huang T., Saito T., Ün I., Yamazaki T., Zhang W.
- 24. qNMR Internal Standard Reference Data (ISRD) 1,4-Bis(trimethylsilyl)benzene [ISRD-06]**
Rapport BIPM-2019/03, 22 pp
Westwood S., Stoppacher N., Martos G., Garrido B., Huang T., Saito T., Ün I., Yamazaki T., Zhang W.
- 25. qNMR Internal Standard Reference Data (ISRD) 4,4-Dimethyl-4-silapentane-1-sulfonic acid-d6 [ISRD-07]**
Rapport BIPM-2019/04, 23 pp
Westwood S., Stoppacher N., Martos G., Garrido B., Huang T., Saito T., Ün I., Yamazaki T., Zhang W.
- 26. Development and cross validation of a suite of standards for the purity assignment of organic compounds by quantitative NMR spectroscopy**
Metrologia, 2019, **56**(6), 064001
Westwood S., Yamazaki T., Huang T., Garrido B., Ün I., Zhang W., Martos G., et al.
- 27. Advanced approaches and applications of qNMR**
Metrologia, 2019, **57**(1), 014004
Huang T., Li H., Zhang W., Numata M., Mackay L., Warren J., Jiao H., Westwood S., Song D.
- 28. Establishment of measurement traceability for peptide and protein quantification through rigorous purity assessment, a review**
Metrologia, 2019, **56**(4), 044006
Josephs R.D., Martos G., Li M., Wu L., Melanson J.E., Quaglia M., Beltrão P.J., et al.
- 29. The BIPM Mycotoxin Metrology Capacity Building and Knowledge Transfer Program: Accurate Characterization of a Pure Aflatoxin B1 Material to Avoid Calibration Errors**
J. AOAC Int., 2019, **102**(6), 1740-1748
Josephs R.D., Li Xiaomin, Li Xiuqin, Guo Z., Garrido B., Ün I., Daireaux A., et al.
- 30. Calibrant Assessment Guideline: Aflatoxin B1**
Rapport BIPM-2019/07, 30 pp
Martos G., Westwood S., Josephs R., Li X., Guo Z., Wielgosz R.
- 31. Purity Evaluation Guideline: Zearalenone**
Rapport BIPM-2019/06, 36 pp
Westwood S., Josephs R., Choteau T., Li X., Garrido B., Ün I., Yamazaki T.
- 32. Amount of substance and the mole in the SI**
Metrologia, 2019, **56**(4), 044002
Güttler B., Bettin H., Brown R.J.C., Davis R.S., Mester Z., Milton M.J.T., Pramann A., Rienitz O., Vocke R.D., Wielgosz R.I.